Page 1/6

Printing date 20.07.2016 Revision: 20.07.2016 Version number 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: D: Glutoclean Urin & Kalkstein Entferner

GB: Glutoclean Urine scale & limestone remover

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Toilet cleaner
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Glutolin Renovierungsprodukte GmbH

Im Schedetal 1

D-34346 Hann.Münden

Telefon: +49 (0) 55 41-70 03-03

www.glutolin.de info@glutolin.de Pufas Werk KG Im Schedetal 1

D-34346 Hann.Münden

Telefon: +49 (0) 55 41 - 70 03 - 01

www.pufas.de info@pufas.de

· Informing department:

Research & Development Tel +49 (0) 5541-7003-491

· 1.4 Emergency telephone number:

Medizinische Nortufnummer Deutschland:

+49 (0)551-19420

Vergiftungsinformationszentrale der Gesundheit Österreich GmbH:

+43 1 406 43 43

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

- · Hazard pictograms GHS07
- · Signal word Warning
- · Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children. P103 Read label before use.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P264 Wash thoroughly after handling.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P321 Specific treatment (see on this label).

P332+P313 If skin irritation occurs: Get medical advice/attention.

(Contd. on page 2)

Safety data sheet according to 1907/2006/EC, Article 31

Page 2/6 Printing date 20.07.2016

> Revision: 20.07.2016 Version number 1

Trade name: D: Glutoclean Urin & Kalkstein Entferner

GB: Glutoclean Urine scale & limestone remover

(Contd. of page 1)

< 5%

P337+P313 If eye irritation persists: Get medical advice/attention.

P302+P352 IF ON SKIN: Wash with plenty of water.

P362+P364 Take off contaminated clothing and wash it before reuse.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · **Description:** Mixture of the substances listed below with harmless additions.

· Dangerous compor	nents:		
CAS: 79-33-4 EINECS: 201-196-2	I-(+)-lactic acid	Skin Irrit. 2, H315; Eye Irrit. 2, H319	< 10%
CAS: 64-18-6 EINECS: 200-579-1	formic acid	Skin Corr. 1A, H314	< 5%
· Regulation (EC) No 648/2004 on detergents / Labelling for contents			

nonionic surfactants, Duftstoffe, LIMONENE

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information

Instantly remove any clothing soiled by the product.

Take affected persons out of danger area and instruct to lie down.

· After inhalation

In case of unconsciousness bring patient into stable side position for transport.

Seek medical treatment in case of complaints.

Supply fresh air.

· After skin contact

Instantly wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.

· After swallowing

Do not induce vomiting; instantly call for medical help.

Rinse out mouth and then drink plenty of water.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.

· 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

(Contd. on page 3)

[·] Additional information For the wording of the listed risk phrases refer to section 16.

Page 3/6

Printing date 20.07.2016 Revision: 20.07.2016 Version number 1

Trade name: D: Glutoclean Urin & Kalkstein Entferner

GB: Glutoclean Urine scale & limestone remover

(Contd. of page 2)

· 5.3 Advice for firefighters

· Protective equipment: Do not inhale explosion gases or combustion gases.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions: No special measures required.
- · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling No special precautions necessary if used correctly.
- · Information about protection against explosions and fires: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and containers: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · 8.1 Control parameters
- · Components with critical values that require monitoring at the workplace:

64-18-6 formic acid

WEL Long-term value: 9.6 mg/m³, 5 ppm

- Additional information: The lists that were valid during the compilation were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment
- · General protective and hygienic measures

Keep away from foodstuffs, beverages and food.

Instantly remove any soiled and impregnated garments.

Wash hands during breaks and at the end of the work.

- · Breathing equipment: Not required.
- · Protection of hands: Protective gloves and protective skin cream.
- · Material of gloves Butyl rubber, BR
- Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eve protection: Tightly sealed safety glasses.

GB

Page 4/6

Printing date 20.07.2016 Revision: 20.07.2016 Version number 1

Trade name: D: Glutoclean Urin & Kalkstein Entferner

GB: Glutoclean Urine scale & limestone remover

(Contd. of page 3)

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

General Information

· Appearance:

Form: Fluid Colour: Blue

· Smell: Characteristic

• pH-value at 20 °C: 1,5-2,0

· Change in condition

Melting point/Melting range: Not determined

Boiling point/Boiling range: 100 ℃

· Flash point: Not applicable

· **Self-inflammability:** Product is not selfigniting.

• Danger of explosion: Product is not explosive.

· Steam pressure at 20 °C: 23 hPa

· Density at 20 °C 1.02 g/cm³

· Solubility in / Miscibility with

Water: Fully miscible

• **9.2 Other information** No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- Skin corrosion/irritation

Causes skin irritation.

· Serious eye damage/irritation

Causes serious eye irritation.

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

GB

Page 5/6

Printing date 20.07.2016 Revision: 20.07.2016 Version number 1

Trade name: D: Glutoclean Urin & Kalkstein Entferner
GB: Glutoclean Urine scale & limestone remover

(Contd. of page 4)

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

- · Uncleaned packagings:
- · Recommendation: Packaging can be reused or recycled after cleaning.

14.1 UN-Number ADR, ADN, IMDG, IATA	Void
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void
14.3 Transport hazard class(es)	
ADR, ADN, IMDG, IATA Class	Void
14.4 Packing group ADR, IMDG, IATA	Void
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Not applicable.
14.7 Transport in bulk according to An of Marpol and the IBC Code	nex II Not applicable.
UN "Model Regulation":	Void

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.

(Contd. on page 6)

Page 6/6

Printing date 20.07.2016 Revision: 20.07.2016 Version number 1

Trade name: D: Glutoclean Urin & Kalkstein Entferner
GB: Glutoclean Urine scale & limestone remover

(Contd. of page 5)

- · National regulations
- · Information about limitation of use:

Employment restrictions concerning young persons must be observed. Employment restrictions concerning pregnant and lactating women must be observed.

- · Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

- · Department issuing data specification sheet: Department of Manufacture.
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

· * Data compared to the previous version altered.

- GE