Page 1/7

Printing date 20.07.2016 Revision: 20.07.2016 Version number 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: D: Glutoclean Stein Versiegelung
 GB: Glutoclean Stone Sealer
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- Application of the substance / the mixture Surface protection
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Glutolin Renovierungsprodukte GmbH

Im Schedetal 1

D-34346 Hann.Münden

Telefon: +49 (0) 55 41-70 03-03

www.glutolin.de info@glutolin.de Pufas Werk KG Im Schedetal 1

D-34346 Hann.Münden

Telefon: +49 (0) 55 41 - 70 03 - 01

www.pufas.de info@pufas.de

· Informing department:

Research & Development Tel +49 (0) 5541-7003-491

· 1.4 Emergency telephone number:

Medizinische Nortufnummer Deutschland:

+49 (0)551-19420

Vergiftungsinformationszentrale der Gesundheit Österreich GmbH:

+43 1 406 43 43

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Flam. Liq. 3 H226 Flammable liquid and vapour.



GHS08 health hazard

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.



GHS07

STOT SE 3 H336 May cause drowsiness or dizziness.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

- · Hazard pictograms GHS02, GHS07, GHS08
- · Signal word Danger
- · Hazard-determining components of labelling:

Naphtha (Erdöl), mit Wasserstoff behandelte schwere (Ausnahme P, Benzol < 0,1 %)

(Contd. on page 2)

Safety data sheet according to 1907/2006/EC, Article 31

Page 2/7

Printing date 20.07.2016 Revision: 20.07.2016 Version number 1

Trade name: D: Glutoclean Stein Versiegelung

GB: Glutoclean Stone Sealer

(Contd. of page 1)

· Hazard statements

H226 Flammable liquid and vapour.

H336 May cause drowsiness or dizziness.

H304 May be fatal if swallowed and enters airways.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor/

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P331 Do NOT induce vomiting.

P370+P378 In case of fire: Use for extinction: CO2, powder or water spray. P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Additional information:

EUH066 Repeated exposure may cause skin dryness or cracking.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · **Description:** Mixture of the substances listed below with harmless additions.
- · Dangerous components:

· Additional information For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information

Instantly remove any clothing soiled by the product.

Take affected persons out of danger area and instruct to lie down.

· After inhalation

Seek medical treatment in case of complaints.

Supply fresh air.

- · After skin contact The product is not skin irritating.
- · After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.

· After swallowing

Do not induce vomiting; instantly call for medical help.

Rinse out mouth and then drink plenty of water.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

(Contd. on page 3)

Page 3/7

Printing date 20.07.2016 Revision: 20.07.2016 Version number 1

Trade name: D: Glutoclean Stein Versiegelung

GB: Glutoclean Stone Sealer

(Contd. of page 2)

• 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.

- · For safety reasons unsuitable extinguishing agents Water with a full water jet.
- · 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

- · 5.3 Advice for firefighters
- · Protective equipment: Do not inhale explosion gases or combustion gases.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions:

Inform respective authorities in case product reaches water or sewage system.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).

Dispose of contaminated material as waste according to item 13.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage
- · Requirements to be met by storerooms and containers: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · 8.1 Control parameters
- Components with critical values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· Additional information: The lists that were valid during the compilation were used as basis.

(Contd. on page 4)

Page 4/7
Printing date 20.07.2016

Revision: 20.07.2016 Version number 1

Trade name: D: Glutoclean Stein Versiegelung GB: Glutoclean Stone Sealer

(Contd. of page 3)

- · 8.2 Exposure controls
- · Personal protective equipment
- · General protective and hygienic measures

Keep away from foodstuffs, beverages and food.

Wash hands during breaks and at the end of the work.

- · Protection of hands:
- · Material of gloves PVC or PE gloves
- · Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Safety glasses recommended during refilling.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Fluid
Colour: Clear
Smell: Mild

· Change in condition

Melting point/Melting range: -15 ℃ Boiling point/Boiling range: 153 ℃

· Flash point: 25 ℃

· Ignition temperature: 240 °C

· **Self-inflammability:** Product is not selfigniting.

• Danger of explosion: Product is not explosive. However, formation of explosive air/

steam mixtures is possible.

· Critical values for explosion:

 Lower:
 0.6 Vol %

 Upper:
 5.9 Vol %

 Steam pressure at 20 ℃:
 1 hPa

Paralte at 00 00

· Density at 20 °C 0.79 g/cm³

· Solubility in / Miscibility with

Water: Not miscible or difficult to mix

· Viscosity:

dynamic: Not determined. **kinematic:** Not determined.

• **9.2 Other information** No further relevant information available.

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.

(Contd. on page 5)

Page 5/7

Printing date 20.07.2016 Revision: 20.07.2016 Version number 1

Trade name: D: Glutoclean Stein Versiegelung

GB: Glutoclean Stone Sealer

(Contd. of page 4)

· 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values that are relevant for classification:

64742-88-7 Solvent naphtha (petroleum), medium aliph.

 Oral
 LD50
 >6500 mg/kg (rat)

 Dermal
 LD50
 >3000 mg/kg (rab)

 Inhalative
 LC50/4 h
 >14 mg/l (rat)

- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure

May cause drowsiness or dizziness.

- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard

May be fatal if swallowed and enters airways.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Toxic for fish
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation Hand over to disposers of hazardous waste.
- · Uncleaned packagings:
- · Recommendation: Packaging can be reused or recycled after cleaning.

GB

Page 6/7
Printing date 20.07.2016
Revision: 20.07.2016

Version number 1

Trade name: D: Glutoclean Stein Versiegelung GB: Glutoclean Stone Sealer

(Contd. of page 5)

SECTION 14: Transport information	
· 14.1 UN-Number · ADR	3295
· 14.2 UN proper shipping name · ADR	3295 HYDROCARBONS, LIQUID, N.O.S.
· 14.3 Transport hazard class(es)	
· ADR	
· Class · Label	3 Flammable liquids. 3
· 14.4 Packing group · ADR	III
· 14.5 Environmental hazards:	Not applicable.
· 14.6 Special precautions for user · Kemler Number:	Warning: Flammable liquids. 30
 14.7 Transport in bulk according to Anr of Marpol and the IBC Code 	nex II Not applicable.
· Transport/Additional information:	
 ADR Limited quantities (LQ) Transport category Tunnel restriction code 	LQ7 3 E
· UN "Model Regulation":	UN 3295 HYDROCARBONS, LIQUID, N.O.S., 3, III

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · National regulations
- · Information about limitation of use:

Employment restrictions concerning young persons must be observed. Employment restrictions concerning pregnant and lactating women must be observed.

- · Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H372 Causes damage to organs through prolonged or repeated exposure.

· Department issuing data specification sheet: Department of Manufacture.

(Contd. on page 7)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.07.2016 Revision: 20.07.2016 Version number 1

Trade name: D: Glutoclean Stein Versiegelung GB: Glutoclean Stone Sealer

· Abbreviations and acronyms:

(Contd. of page 6)

Page 7/7

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

* Data compared to the previous version altered.

__